

## MOTUS 22-GT

**NEW**





▶ MOTUS 22-GT

 **22kg**



### SPECIFICATIONS

**MOTUS  
22-GT**

Fluid head	MH22		Payload	22.0kg / 48.5lbs
Tripod	ECT100M		Height range	78.0cm~175.0cm / 30.7in~68.9in
Spreader	EI-7000L middle spreader		Transport length	97.0cm / 38.2in
Bag	Head Safety box / Tripod SC-4		Net weight	14.8kg / 32.6lbs

## MOTUS 32-GT

**NEW**





▶ MOTUS 32-GT

 **32kg**



### SPECIFICATIONS

**MOTUS  
32-GT**

Fluid head	MH22		Payload	32.0kg / 70.5lbs
Tripod	ECT100M		Height range	78.0cm~175.0cm / 30.7in~68.9in
Spreader	EI-7000L middle spreader		Transport length	97.0cm / 38.2in
Bag	Head Safety box / Tripod SC-4		Net weight	15.2kg / 33.5lbs

## EG03FA3-GT / EG04FA3-GT



## EG04AS-GT



### SPECIFICATIONS

EG03FA3-GT	Fluid head	GH03F	Payload 5.0kg / 11.0lbs Height range 97.0cm~243.0cm / 38.2in~95.7in Transport length 102cm / 40.2in Net weight 6.0kg / 13.2lbs
	Tripod	GA230	
	Spreader	Fixed middle spreader	
	Bag	SC-3	

EG04FA3-GT	Fluid head	GH04F	Payload 6.0kg / 13.2lbs Height range 98.0cm~244.0cm / 38.6in~96.1in Transport length 103.0cm / 40.6in Net weight 6.1kg / 13.4lbs
	Tripod	GA230	
	Spreader	Fixed middle spreader	
	Bag	SC-3	

### SPECIFICATIONS

EG04AS-GT	Fluid head	GH04	Payload 6.0kg / 13.2lbs Height range 77.5cm~169.5cm / 30.5in~66.7in Transport length 87.5cm / 34.4in Net weight 4.1kg / 9.0lbs
	Tripod	GA752S	
	Spreader	GS01 middle spreader	
	Bag	SC-1	

## EG03A2-GT / EG03AA-GT / EG05A2-GT



### SPECIFICATIONS

EG03A2-GT	Fluid head	GH03	Payload 5.0kg / 11.0lbs Height range 75.0cm~168.5cm / 29.5in~66.3in Transport length 83.5cm / 32.9in Net weight 4.9kg / 10.8lbs
	Tripod	GA752	
	Spreader	GS01 middle spreader	
	Bag	SC-1	

EG03AA-GT	Fluid head	GH03	Payload 5.0kg / 11.0lbs Height range 77.5cm~160.5cm / 30.5in~63.2in Transport length 81.5cm / 32.1in Net weight 4.9kg / 10.8lbs
	Tripod	AT7402A	
	Spreader	Fixed middle spreader	
	Bag	SC-1	

EG05A2-GT	Fluid head	GH05	Payload 7.0kg / 15.4lbs Height range 76.0cm~169.5cm / 29.9in~66.7in Transport length 84.5cm / 33.3in Net weight 5.4kg / 11.9lbs
	Tripod	GA752	
	Spreader	GS01 middle spreader	
	Bag	SC-1	

## EG03A3-GT



### SPECIFICATIONS

EG03A3-GT	Fluid head	GH03F	Payload 5.0kg / 11.0lbs Height range 76.5cm~170.0cm / 30.1in~66.9in Transport length 85.0cm / 33.5in Net weight 5kg / 11.0lbs
	Adapter	75BF	
	Tripod	GA752	
	Spreader	GS01 middle spreader	
	Bag	SC-1	

EG08A2L-GT / EG08C2L-GT /  
EG10A2L-GT / EG10C2L-GT

▶ EG08A2L-GT  
▶ EG08C2L-GT



▶ EG10A2L-GT  
▶ EG10C2L-GT



SPECIFICATIONS

EG08A2L-GT	Fluid head	GH08L	Payload 2.0-8.0kg / 4.4-17.6lbs Height range 59.5cm~172.5cm / 23.4in~67.9in Transport length 86.5cm / 34.1in Net weight 7.3kg / 16.1lbs
	Tripod	GA102	
	Spreader	GS02 ground spreader	
	Bag	T20	
EG08C2L-GT	Fluid head	GH08L	Payload 2.0-8.0kg / 4.4-17.6lbs Height range 59.5cm~172.5cm / 23.4in~67.9in Transport length 86.5cm / 34.1in Net weight 6.7kg / 14.8lbs
	Tripod	GC102	
	Spreader	GS02 ground spreader	
	Bag	T20	
EG10A2L-GT	Fluid head	GH10L	Payload 4.0-10.0kg / 8.8-22.0lbs Height range 60.5cm~173.5cm / 23.8in~68.3in Transport length 87.5cm / 34.4in Net weight 7.5kg / 16.5lbs
	Tripod	GA102	
	Spreader	GS02 ground spreader	
	Bag	T20	
EG10C2L-GT	Fluid head	GH10L	Payload 4.0-10.0kg / 8.8-22.0lbs Height range 60.5cm~173.5cm / 23.8in~68.3in Transport length 87.5cm / 34.4in Net weight 6.9kg / 15.2lbs
	Tripod	GC102	
	Spreader	GS02 ground spreader	
	Bag	T20	

EG15A-GT / EG15C-GT /  
EG15A2-GT / EG15C2-GT

▶ EG15A-GT  
▶ EG15C-GT



▶ EG15A2-GT  
▶ EG15C2-GT



SPECIFICATIONS

EG15A-GT	Fluid head	GH15	Payload 0.0-18.0kg / 0.0-39.7lbs Height range 81.0cm~158.0cm / 31.9in~62.2in Transport length 102.5cm / 40.4in Net weight 8.3kg / 18.3lbs
	Tripod	GA101	
	Spreader	GS02 ground spreader	
	Bag	T30	
EG15C-GT	Fluid head	GH15	Payload 0.0-18.0kg / 0.0-39.7lbs Height range 81.0cm~158.0cm / 31.9in~62.2in Transport length 102.5cm / 40.4in Net weight 7.7kg / 17.0lbs
	Tripod	GC101	
	Spreader	GS02 ground spreader	
	Bag	T30	
EG15A2-GT	Fluid head	GH15	Payload 0.0-18.0kg / 0.0-39.7lbs Height range 64.5cm~177.5cm / 25.4in~69.9in Transport length 91.5cm / 36.0in Net weight 8.9kg / 19.6lbs
	Tripod	GA102	
	Spreader	GS02 ground spreader	
	Bag	T20	
EG15C2-GT	Fluid head	GH15	Payload 0.0-18.0kg / 0.0-39.7lbs Height range 64.5cm~177.5cm / 25.4in~69.9in Transport length 91.5cm / 36.0in Net weight 8.2kg / 18.1lbs
	Tripod	GC102	
	Spreader	GS02 ground spreader	
	Bag	T20	

## EG06A-GT / EG06A2-GT / EG06C2-GT



### SPECIFICATIONS

EG06A-GT	Fluid head	GH06	Payload 1.0-6.0kg / 2.2-13.2lbs Height range 90.0cm~152.5cm / 35.4in~60.0in Transport length 97.0cm / 38.2in Net weight 5.0kg / 11.0lbs
	Tripod	GA751	
	Spreader	GS01 middle spreader	
	Bag	SC-2	

EG06A2-GT	Fluid head	GH06	Payload 1.0-6.0kg / 2.2-13.2lbs Height range 77.5cm~171.0cm / 30.5in~67.3in Transport length 86.0cm / 33.9in Net weight 5.6kg / 12.3lbs
	Tripod	GA752	
	Spreader	GS01 middle spreader	
	Bag	SC-1	

EG06C2-GT	Fluid head	GH06	Payload 1.0-6.0kg / 2.2-13.2lbs Height range 77.5cm~171.0cm / 30.5in~67.3in Transport length 86.0cm / 33.9in Net weight 5.2kg / 11.5lbs
	Tripod	GC752	
	Spreader	GS01 middle spreader	
	Bag	SC-1	

## EG08A2-GT / EG08C2-GT / EG10A2-GT / EG10C2-GT



### SPECIFICATIONS

EG08A2-GT	Fluid head	GH08	Payload 2.0-8.0kg / 4.4-17.6lbs Height range 76.0cm~169.5cm / 29.9in~66.7in Transport length 84.5cm / 33.3in Net weight 5.5kg / 12.1lbs
	Tripod	GA752	
	Spreader	GS01 middle spreader	
	Bag	T10	

EG08C2-GT	Fluid head	GH08	Payload 2.0-8.0kg / 4.4-17.6lbs Height range 76.0cm~169.5cm / 29.9in~66.7in Transport length 84.5cm / 33.3in Net weight 5.1kg / 11.2lbs
	Tripod	GC752	
	Spreader	GS01 middle spreader	
	Bag	T10	

EG10A2-GT	Fluid head	GH10	Payload 4.0-10.0kg / 8.8-22.0lbs Height range 77.5m~171.0cm / 30.5in~67.3in Transport length 86.0cm / 33.9in Net weight 5.7kg / 12.6lbs
	Tripod	GA752	
	Spreader	GS01 middle spreader	
	Bag	T10	

EG10C2-GT	Fluid head	GH10	Payload 4.0-10.0kg / 8.8-22.0lbs Height range 77.5m~171.0cm / 30.5in~67.3in Transport length 86.0cm / 33.9in Net weight 5.3kg / 11.7lbs
	Tripod	GC752	
	Spreader	GS01 middle spreader	
	Bag	T10	

## EG25C-GT / EG25C PLUS-GT



▶ EG25C-GT

▶ EG25C PLUS-GT

### SPECIFICATIONS

EG25C-GT	Fluid head	GH25	Payload 3.0-28.0kg / 6.6-61.7lbs Height range 80.0cm~157.0cm / 31.5in~61.8in Transport length 101.5cm / 40.0in Net weight 8.1kg / 17.9lbs
	Tripod	GC101	
	Spreader	GS02 ground spreader	
	Bag	T30	
EG25C PLUS-GT	Fluid head	GH25	Payload 3.0-28.0kg / 6.6-61.7lbs Height range 92.0cm~168.0cm / 36.2in~66.1in Transport length 109.0cm / 42.9in Net weight 12.3kg / 27.1lbs
	Tripod	ECT100L	
	Spreader	Middle spreader	
	Bag	SC-4	

## EG20A-GT / EG25A2-GT / EG25C2-GT



▶ EG20A-GT

▶ EG25A2-GT

▶ EG25C2-GT

### SPECIFICATIONS

EG20A-GT	Fluid head	GH20	Payload 20.0kg / 44.0lbs Height range 79.0cm~156.0cm / 31.1in~61.4in Transport length 100.5cm / 39.6in Net weight 8.4kg / 18.5lbs
	Tripod	GA101	
	Spreader	GS02 ground spreader	
	Bag	T30	
EG25A2-GT	Fluid head	GH25	Payload 3.0-28.0kg / 6.6-61.7lbs Height range 62.5cm~175.5cm / 24.6in~69.1in Transport length 89.5cm / 35.2in Net weight 9.3kg / 20.5lbs
	Tripod	GA102	
	Spreader	GS02 ground spreader	
	Bag	T20	
EG25C2-GT	Fluid head	GH25	Payload 3.0-28.0kg / 6.6-61.7lbs Height range 62.5cm~175.5cm / 24.6in~69.1in Transport length 89.5cm / 35.2in Net weight 8.6kg / 19.0lbs
	Tripod	GC102	
	Spreader	GS02 ground spreader	
	Bag	T20	

## EG40 PLUS-GT

▶ EG40 PLUS-GT

**UPGRADE**  
VERSION



9 steps of counterbalance  
+ boost orange button

## EI7050AA-GT / EI7060AA-GT / EI7060A2-GT

▶ EI7050AA-GT

▶ EI7060AA-GT

▶ EI7060A2-GT



KIT

### SPECIFICATIONS

#### EG40 PLUS-GT

Fluid head	GH40 PLUS		Payload	40.0kg / 88.0lbs
Tripod	EAT150		Height range	100.5cm~178.5cm / 39.6in~70.3in
Spreader	EI-7000L middle spreader		Transport length	115.5cm / 45.5in
Bag	Tripod SC-4 / Head S10		Net weight	18.3kg / 40.3lbs

### SPECIFICATIONS

#### EI7050AA-GT

Fluid head	EI7050H		Payload	4.0kg / 8.8lbs
Tripod	AT7402B		Height range	77.5cm~149.5cm / 30.5in~58.9in
Spreader	Fixed middle spreader		Transport length	81.5cm / 32.1in
Bag	SC-1		Net weight	4.8kg / 10.6lbs

#### EI7060AA-GT

Fluid head	EI7060H		Payload	7.0kg / 15.4lbs
Tripod	AT7402A		Height range	79.0cm~162.0cm / 31.1in~63.8in
Spreader	Fixed middle spreader		Transport length	83.0cm / 32.7in
Bag	SC-1		Net weight	5.4kg / 11.9lbs

#### EI7060A2-GT

Fluid head	EI7060H		Payload	7.0kg / 15.4lbs
Tripod	GA752		Height range	76.5cm~170.0cm / 30.1in~66.9in
Spreader	GS01 middle spreader		Transport length	85.0cm / 33.5in
Bag	SC-1		Net weight	5.4kg / 11.9lbs

## EI7080AA-GT / EI7083AA-GT / EI7083A2-GT



▶ EI7080AA-GT

▶ EI7083AA-GT

▶ EI7083A2-GT

### SPECIFICATIONS

<b>EI7080AA-GT</b>	Fluid head	EI7080H	⚖️ Payload	12.0kg / 26.5lbs
	Tripod	AT7602A	📏 Height range	54.5cm~169.5cm / 21.5in~66.7in
	Spreader	GS02 ground spreader	📏 Transport length	86.5cm / 34.1in
	Bag	T20	📦 Net weight	6.8kg / 15.0lbs

<b>EI7083AA-GT</b>	Fluid head	EI7083H	⚖️ Payload	12.0kg / 26.5lbs
	Tripod	AT7602A	📏 Height range	55.5cm~170.5cm / 21.9in~67.1in
	Spreader	GS02 ground spreader	📏 Transport length	87.5cm / 34.4in
	Bag	T20	📦 Net weight	7.1kg / 15.7lbs

<b>EI7083A2-GT</b>	Fluid head	EI7083H	⚖️ Payload	12.0kg / 26.5lbs
	Tripod	GA102	📏 Height range	62.5cm~175.5cm / 24.6in~69.1in
	Spreader	GS02 ground spreader	📏 Transport length	88.5cm / 34.8in
	Bag	T20	📦 Net weight	8.0kg / 17.6lbs

## GH03+760AT-GT / GH08+761CT-GT



▶ GH03+760AT-GT

▶ GH08+761CT-GT

### SPECIFICATIONS

<b>GH03+760AT-GT</b>	Fluid head	GH03	⚖️ Payload	5.0kg / 11.0lbs
	Tripod	760AT	📏 Height range	24.5cm~141.5cm / 9.6in~55.7in
	Spreader	/	📏 Transport length	71.5cm / 28.1in
	Bag	SC-1	📦 Net weight	3.9kg / 8.6lbs

<b>GH08+761CT-GT</b>	Fluid head	GH08	⚖️ Payload	2.0-8.0kg / 4.4-17.6lbs
	Tripod	761CT	📏 Height range	25.5cm~182.5cm / 10.0in~71.9in
	Spreader	/	📏 Transport length	66.5cm / 26.2in
	Bag	T10	📦 Net weight	4.2kg / 9.3lbs



## GH08L+770AT-GT / GH10L+771CT-GT



### SPECIFICATIONS

GH08L+770AT-GT	Fluid head	GH08L	Payload 2.0-8.0kg / 4.4-17.6lbs Height range 32.5cm~162.5cm / 12.8in~64.0in Transport length 67.5cm / 26.6in Net weight 5.5kg / 12.1lbs
	Tripod	770AT	
	Spreader	/	
	Bag	T10	

GH10L+771CT-GT	Fluid head	GH10L	Payload 4.0-10.0kg / 8.8-22.0lbs Height range 33.5cm~193.5cm / 13.2in~76.2in Transport length 82.5cm / 32.5in Net weight 5.6kg / 12.3lbs
	Tripod	771CT	
	Spreader	/	
	Bag	T10	

## EK610-GT



### SPECIFICATIONS

EK610-GT	Fluid head	EH610	Payload 3.0kg / 6.6lbs Height range 71.0cm~161.0cm / 28.0in~63.4in Transport length 81.0cm / 31.9in Net weight 3.5kg / 7.7lbs
	Tripod	AT610	
	Spreader	GS01 middle spreader	
	Bag	SC-1	

KIT

## EK630-GT

▶ EK630-GT

**LIGHTER WEIGHT**  
Only  
**4.8kg**



▶ EH630



- 75mm
- 4kg
- Fixed

- Lightweight and compact fluid head
- Separate locking for both pan & tilt
- GP1 plate is included
- Continuous adjustable tilt drag

## EK650-GT

▶ EK650-GT

**LIGHTER WEIGHT**  
Only  
**4.1kg**



▶ EH650



- 75mm
- 5kg
- Fixed

- Illuminated leveling bubble
- Continuous adjustable of tilt
- Additional standard 1/4" screw hole
- GP1 plate is included
- Quick install plate with only one press

### SPECIFICATIONS

#### EK630-GT

Fluid head	EH630	Payload	4.0kg / 8.8lbs
Tripod	AT630	Height range	76.0cm~167.0cm / 29.9in~65.7in
Spreader	GS01 middle spreader	Transport length	85.0cm / 33.5in
Bag	SC-1	Net weight	4.8kg / 10.6lbs

### SPECIFICATIONS

#### EK650-GT


Fluid head	EH650	Payload	5.0kg / 11.0lbs
Tripod	GA752S	Height range	77.5cm~168.5cm / 30.5in~66.3in
Spreader	GS01 middle spreader	Transport length	86.0cm / 33.9in
Bag	SC-1	Net weight	4.1kg / 9.0lbs

# EP880XK-GT




**NEW**

▶ EP880XK-GT



40kg heavy duty head



Fluid head with 150mm ball



Quick locking



Double-wheel 125mm casters with adjustable cable guards



The manual adjusting system allows your camera to move smoothly and effortlessly, which helps achieve the perfect shot every time



standard kit

high version kit

189cm

## SPECIFICATIONS

EP880SK -GT	Fluid head	GH40	Payload	40.0kg / 88.2lbs
	Pedestal	EP880XS		Height range
	Dolly	EI7008	One-shot stroke	
	Case	Box packing		Net weight

# EP880S-GT

▶ EP880S-GT



Pneumatic column pedestal system



Air-pressure in the pneumatic column can be adjusted



Ergonomic hand wheel



Double-wheel 125mm casters with adjustable cable guards



Multi-adjustment(0-8)counterbalance can reach perfect balance quickly and easily



# EP880SK-GT

▶ EP880SK-GT



Pneumatic column pedestal system



Air-pressure in the pneumatic column can be adjusted



Fluid head with 100mm ball



Double-wheel 125mm casters with adjustable cable guards



Multi-adjustment(0-8)counterbalance can reach perfect balance quickly and easily



## SPECIFICATIONS

EP880S-GT	Pedestal	EP880S	Payload 30.0kg / 66.1lbs Height range 86.0cm~165.5cm / 33.9in~65.2in One-shot stroke 38.0cm / 15.0in Net weight 23.9kg / 52.7lbs
	Dolly	EI7007	
	Case	Box packing	

## SPECIFICATIONS

EP880SK-GT	Fluid head	GH25	Payload 3.0-28.0kg / 6.6-61.7lbs Height range 102.5cm~182.0cm / 40.4in~71.7in One-shot stroke 38.0cm / 15.0in Net weight 28.5kg / 62.8lbs
	Pedestal	EP880S	
	Dolly	EI7007	
	Case	Box packing	

# AT7903-GT

▶ AT7903-GT

**UPGRADE**  
VERSION



Pneumatic assist center column

Easy height-adjustment lever

Quick locking

Ergonomic hand wheel



( Optional dolly EI-7005B )

## SPECIFICATIONS

AT7903-GT	Pedestal	AT7903	Payload	20.0kg / 44.1lbs
	Dolly	EI7005	Height range	102.0cm~184.5cm/40.2in~72.6in
	Case	T30	One-shot stroke	32.0cm / 12.6in
			Net weight	15.8kg / 34.8lbs

# EI7903A-GT

▶ EI7903A-GT

**UPGRADE**  
VERSION



Pneumatic assist center column

Easy height-adjustment lever

Quick locking

Ergonomic hand wheel



( Optional dolly EI-7005B )

## SPECIFICATIONS

EI7903A-GT	Fluid head	EI7103H	Payload	15.0kg / 33.1lbs
	Tripod	AT7903	Height range	120.0cm~202.5cm/47.2in~79.7in
	Dolly	EI7005	One-shot stroke	32.0cm / 12.6in
	Case	T30	Net weight	19.9kg / 43.9lbs